BIOLOGICAL MONITORING SYSTEMS
Quarterly Compliance Calendar

www.biologicalmonitoring.com / Contact us for test status at **800-819-3336**

2012

How often should I perform biological monitoring (BI) (spore testing)?
The CDC recommends testing at least weekly with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- **Whenever a new type of packaging material or tray is used.**
- **After training new sterilization personnel.**
- **After a sterilizer has been repaired.**
- **After any change in the sterilizer loading procedures.**

Circle the date each week that BI testing was performed

April

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

May

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

June

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST